ANESAFE® 100% META-ARAMID THREAD COLOR REFERENCE















ANESAFE®

100% META-ARAMID, SPUN SEWING THREAD

- Excellent Resistance to Long or Short Term Heat Exposure
- Meta-aramid Fiber Withstands Temperatures Up to 700° F (371° C)
- Superior Abrasion Resistance
- Excellent Mildew Resistance
- Good Chemical Resistance

100% META-ARAMID UL® CERTIFICATIONS 91

Standard	Title
ASTM F1506	Standard Performance Specification for Flame Resistant and Arc Rated Protective Clothing Worn by Workers Exposed to Flames and Electric Arcs
CAN/CGSB 155.20	Standard on Workwear for Protection Against Hydrocarbon Flash Fire and Optionally Steam and Hot Fluids
CAN/CGSB 155.22	Standard on Workwear for Forest with Corrigendum No. 1
NFPA 1951	Standard on Protective Ensembles for Technical Rescue Incidents
NFPA 1971	Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting
NFPA 1975	Standard on Emergency Services Work Clothing Elements
NFPA 1977	Standard on Protective Clothing and Equipment for Wildland Fire Fighting
NFPA 2112	Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from Fire



SCAN OR TYPE IN MH15000 VIA THE UL PRODUCT iQ™ SEARCH BAR TO ACCESS CURRENT UL® CERTIFICATIONS.

Inquire on product designed to pass flammability testing per the following standards: EN149-1, EN469, EN470, EN61340, EN ISO 11611, EN ISO 11612, EN ISO 14116, and NFPA 70E.

A Guitermann

Natural	N5 Orange	23812 Graphite
N49 Ashes	3024 Toboggan	Black
N25 Khaki	N35 Rusty Red	N7 Navy
N10 Tan	N3 Red	6975 Navy #3
N14 Khaki	1364 Red	N40 Ever Navy
21239 Suntan	N43 French Raspberry	N2 Royal Blue
N23 Brown	N21 Blue Jay	N8 Blue
N34 Red Orange	N11 Petrol Blue	N53 Lt. Teal
N42 Light Bronze	N38 Blue Grey	N28 Lagoon Green
N19 Old Gold	N37 Steel	N29 Aquarine
N12 Yellow Natural	N9 Grey	N24 Frosty Green
70022 Goldenrod	70014 Rost Grey	N13 Sage Green
N4 Bright Yellow	17763 Charcoal	N6 Olive Green
N48 Gold	N52 Chocolate Brn	N44 Loden Green



ANESAFE® 100% META-ARAMID THREAD COLOR REFERENCE

A&E COLOR REFERENCE DISCLAIMER

American & Efird is providing this color card for your convenience. This color card is not a warranty and in no way shall create any legal obligation on the part of American & Efird.

As conditions of use, washing, dry cleaning, other refurbishing, pressing, pre-washing, oven and other curing techniques, etc. are beyond our control, the purchaser and/or user of the thread should determine if the character of the dye and the specific type and size of the thread selected is suitable for the purpose for which it was intended. It is the responsibility of the purchaser and/or user to appraise the thread and assure themselves that it is the proper character of dye, thread type, size, etc. for the proposed application. American & Efird does not assume responsibility for any damage arising from your use or reliance on this color card. Please inquire for more information.

AMERICAN & EFIRD

22 American Street
Mount Holly, NC 28120
704.951.2996 | 1.800.861.3256
Fax: 704.827.0974 | 1.800.453.9060
customerservice@amefird.com
amefird.com