



ANECORD NYLON®

BONDED MONOCORD NYLON SEWING THREAD



SUPERIOR **ABRASION RESISTANCE**
FOR LOW PROFILE SEAMS.

AUTOMOTIVE | FURNITURE | FALL PROTECTION | LEATHER GOODS | FOOTWEAR

ANECORD NYLON®

BONDED MONOCORD NYLON SEWING THREAD



A&E's Anecord Nylon® is performance engineered for superior abrasion resistance. Featuring a bonded, monocord construction, this thread lays flat in the seam, ideal for applications requiring low profile stitching. Exceptionally strong for its size, Anecord Nylon® provides good overall strength and delivers a higher yield versus multifilament nylon products. Prewound bobbins are available.

EXCELLENT ABRASION RESISTANCE

An outstanding choice for applications that require low-profile stitching, this thread delivers excellent overall abrasion resistance.

EXCELLENT SEWING PERFORMANCE

Engineered to provide good strength in the seam and excellent ply security, this thread provides for an excellent, consistent sewing performance.

VERY GOOD COLORFASTNESS

Displaying good colorfastness with good color resistance, this sewing thread is available in a range of popular colors.

**AUTOMOTIVE • FURNITURE • FALL PROTECTION • LUGGAGE • HANDBAGS • FOOTWEAR • OUTDOOR
• TENTS • MEDICAL AND ORTHOPEDIC DEVICES • PROTECTIVE PRODUCTS • SPECIALTY INDUSTRIAL**



CUSTOMERSERVICE@AMEFIRD.COM | AMEFIRD.COM | ELEVATETEXTILES.COM

ANECORD NYLON®





BONDED MONOCORD NYLON SEWING THREAD

PRODUCT INFORMATION*

Application	Tex	Size Ticket	lbs.	Strength cN	Recommended Needle Size
Light Weight	16	180	2.49	1,108	65/9
	27	100	3.49	1,552	75/11
	30	80	5.22	2,322	75/11
Medium Weight	35	60	5.9	2,624	90/14
	45	60	7.56	3,363	90/14
	60	50	9.91	4,408	110/18
	70	40	11.5	5,115	110/18
Heavy Weight	90	30	17.2	7,651	125/20
	105	27	18.5	8,229	125/20
	135	20	26	11,565	140/22
Extra Heavy Weight	150	18	28	12,455	160/23
	180	15	36	16,014	180/24
	350	8	54.7	24,332	230/26

*Physical characteristics provided are for comparative purposes only. Final determination of suitability is the sole responsibility of the user. All physical data shown is based on current averages and should not be used as minimum requirements.



ECO•DRIVEN®

A&E's Eco-Driven mark is a symbol of our commitment to sustainability and continued investment in innovative technologies that help reduce our global operations environmental footprint. Under Elevate Textiles, A&E and all supporting brands contribute to unified commitments of responsibly sourced fibers, reduced water consumption, and reduced greenhouse gas targets.

WHY CHOOSE A&E?

QUALITY THREAD PRODUCTS SINCE 1891 — A&E is the world's foremost manufacturer and distributor of premium quality industrial and consumer sewing thread, embroidery thread and technical textiles. We provide our customers with the finest products and services, at the highest quality, delivered globally. Our steadfast commitment to superior quality and customer service make A&E the preferred thread supplier. Learn more on A&E's corporate social responsibility and environmental sustainability initiatives, comprehensive product offerings, and global locations at WWW.AMEFIRD.COM.

CUSTOMERSERVICE@AMEFIRD.COM | AMEFIRD.COM | ELEVATETEXTILES.COM



ANECORD NYLON®

BONDED MONOCORD NYLON SEWING THREAD