



# ANECORD POLY®

BONDED MONOCORD POLYESTER SEWING THREAD



**ABRASION AND UV RESISTANCE**  
FOR LOW PROFILE SEAMS.

SPECIALTY INDUSTRIAL | FILTRATION PRODUCTS | GEOTEXTILES | FOOTWEAR

# ANECORD POLY®

BONDED MONOCORD POLYESTER SEWING THREAD



Ask your A&E sales representative about available product with this certification.

Engineered for excellent abrasion resistance, A&E's Anecord Poly® is manufactured with a bonded, monocord polyester construction. Ideal for applications requiring low profile stitching, this thread lays flat within the seam. Anecord Poly® displays good overall strength and provides better UV resistance than nylon and polyamide sewing threads. Providing added value, this monocord thread produces a higher yield over other twisted multifilament products. Prewound bobbins are available.

## EXCELLENT ABRASION RESISTANCE

An outstanding choice for applications that require low-profile stitching, this thread delivers excellent overall abrasion resistance.

## EXCELLENT SEWING PERFORMANCE

Engineered to provide good strength in the seam and excellent ply security, this thread provides for an excellent, consistent sewing performance.

## UV RESISTANCE

Delivers a better resistance to ultraviolet light exposure over traditional nylon and polyamide sewing threads.

**SPECIALTY INDUSTRIAL • FILTRATION PRODUCTS • GEOTEXTILES • FOOTWEAR  
• OUTDOOR PRODUCTS • FURNITURE**



CUSTOMERSERVICE@AMEFIRD.COM | AMEFIRD.COM | ELEVATETEXTILES.COM

# ANECORD POLY®



BONDED MONOCORD POLYESTER SEWING THREAD

## PRODUCT INFORMATION\*

Application	Size		Strength		Recommended Needle Size
	Tex	Ticket	lbs.	cN	
Light Weight	21	140	3.57	1,588	65/9
Medium Weight	45	60	7.17	3,189	100/16
	70	40	10.41	4,630	110/18
Heavy Weight	105	27	16.78	7,464	125/20
	120	25	18.96	8,434	130/21
	135	20	22.68	10,089	140/22
Extra Heavy Weight	180	15	33.9	15,079	180/24
	210	13	37.29	16,587	200/25

\*Physical characteristics provided are for comparative purposes only. Final determination of suitability is the sole responsibility of the user. All physical data shown is based on current averages and should not be used as minimum requirements.



## ECO-DRIVEN®

A&E's Eco-Driven mark is a symbol of our commitment to sustainability and continued investment in innovative technologies that help reduce our global operations environmental footprint. Under Elevate Textiles, A&E and all supporting brands contribute to unified commitments of responsibly sourced fibers, reduced water consumption, and reduced greenhouse gas targets.

## WHY CHOOSE A&E?

**QUALITY THREAD PRODUCTS SINCE 1891** — A&E is the world's foremost manufacturer and distributor of premium quality industrial and consumer sewing thread, embroidery thread and technical textiles. We provide our customers with the finest products and services, at the highest quality, delivered globally. Our steadfast commitment to superior quality and customer service make A&E the preferred thread supplier. Learn more on A&E's corporate social responsibility and environmental sustainability initiatives, comprehensive product offerings, and global locations at [WWW.AMEFIRD.COM](http://WWW.AMEFIRD.COM).

[CUSTOMERSERVICE@AMEFIRD.COM](mailto:CUSTOMERSERVICE@AMEFIRD.COM) | [AMEFIRD.COM](http://AMEFIRD.COM) | [ELEVATETEXTILES.COM](http://ELEVATETEXTILES.COM)





# **ANECORD POLY®**

BONDED MONOCORD POLYESTER SEWING THREAD