



# ANEFIL POLY®

TWISTED MULTIFILAMENT POLYESTER SEWING THREAD



WHERE **PERFORMANCE** MEETS  
ELEGANT **SOPHISTICATION.**

**AUTOMOTIVE | FOOTWEAR | LEATHER GOODS | OUTDOOR PRODUCTS**

# ANEFIL POLY®

TWISTED MULTIFILAMENT POLYESTER SEWING THREAD



Ask your A&E sales representative about available product with this certification.

Providing good overall seam strength and a better resistance to UV exposure than traditional nylon sewing threads, A&E's Anafil Poly® delivers excellent seam strength with fewer sewing interruptions. This is due in part to its twisted multifilament, continuous polyester construction.

Anafil Poly® is available in Bonded, SST (Stretched), STX (Non-Stretched), and SBT (Highly-Stretched).

## UV RESISTANCE

This sewing thread delivers a better resistance to ultraviolet light exposure over traditional nylon and polyamide sewing threads.

## EXCELLENT SEWING PERFORMANCE

Engineered to provide an excellent sewing performance, this thread boasts excellent ply security with a consistent diameter and low moisture regain when bonded.

## VERY GOOD COLORFASTNESS

Displaying good colorfastness with good color resistance, this sewing thread is available in a range of popular colors.

**AUTOMOTIVE • FOOTWEAR • LUGGAGE • HANDBAGS • OUTDOOR PRODUCTS • FILTRATION  
• SPECIALTY INDUSTRIAL • GEOTEXTILES • COVERS • WEB SLINGS • TIE DOWNS**



CUSTOMERSERVICE@AMEFIRD.COM | AMEFIRD.COM | ELEVATETEXTILES.COM

# ANEFIL POLY®



## TWISTED MULTIFILAMENT POLYESTER SEWING THREAD

### PRODUCT INFORMATION\*

Application	Size		Strength		Recommended Needle Size
	Tex	Ticket	lbs.	cN	
Light Weight	16	180	2.11	939	65/9
	21	140	3.13	1,392	70/10
	30	90	3.7	1,646	80/12
Medium Weight	35	80	5.11	2,273	80/12
	45	60	7.09	3,154	100/16
	50	50	6.02	2,678	110/18
	70	40	10.13	4,506	110/18
Heavy Weight	90	30	13.48	5,996	125/20
	135	20	20.64	9,181	140/22
	180	17	24.36	10,836	180/24
Extra Heavy Weight	210	15	30.72	13,665	180/24
	270	10	40.12	17,846	200/25
	350	8	51.53	22,922	230/26
	400	7	64.73	28,793	250/27
	450	6	70	31,138	250/27
	600	5	84.15	37,432	280/28
	700	4	98.47	43,801	300/29

\*Physical characteristics provided are for comparative purposes only. Final determination of suitability is the sole responsibility of the user. All physical data shown is based on current averages and should not be used as minimum requirements.

### ECO-DRIVEN®

A&E's Eco-Driven mark is a symbol of our commitment to sustainability and continued investment in innovative technologies that help reduce our global operations environmental footprint. Under Elevate Textiles, A&E and all supporting brands contribute to unified commitments of responsibly sourced fibers, reduced water consumption, and reduced greenhouse gas targets.

### WHY CHOOSE A&E?

**QUALITY THREAD PRODUCTS SINCE 1891** — A&E is the world's foremost manufacturer and distributor of premium quality industrial and consumer sewing thread, embroidery thread and technical textiles. We provide our customers with the finest products and services, at the highest quality, delivered globally. Our steadfast commitment to superior quality and customer service make A&E the preferred thread supplier. Learn more on A&E's corporate social responsibility and environmental sustainability initiatives, comprehensive product offerings, and global locations at [WWW.AMEFIRD.COM](http://WWW.AMEFIRD.COM).



# **ANEFIL POLY<sup>®</sup>**

TWISTED MULTIFILAMENT POLYESTER SEWING THREAD